

SIMPLER

T V M O U N T S



SIMPLER

KSL is a modern Ukrainian factory. Our specialty - mounting solutions for Digital Signage industry.

The history of KSL began in 2009. Since then we have designed and manufactured numerous professional solutions for different Digital Signage projects.

Our partners know that we solve the hardest tasks.

In-house manufacturing facilities allow us to control 100% of operations. Our R&D department regularly rolls out new models as well as improves the existing model line.

Our Quality Control lab extensively tests each new product before it enters mass production. Each batch of finished products undergoes quality testing before it leaves the factory. We only use materials that meet international standards. This is the way we guarantee consistent high quality of our products.




TABLE OF CONTENTS

FIXED TV WALL MOUNTS

3-4

TILT TV WALL MOUNTS

5-7

ARTICULATING TV WALL MOUNTS

7-11



SYMBOLS



VESA (MIN - MAX)



DIAGONAL



MAXIMUM WEIGHT LOAD



THE DISTANCE FROM THE WALL




TILT ANGLE



TURN


WHAT YOU NEED TO KNOW TO CHOOSE THE RIGHT TV MOUNT:



Your TV's diagonal




Your TV's weight



The distance between the mounting holes on the your TV

EASY INSTALLATION




FIXED TV WALL MOUNTS

28EP



	Vesa (min - max)	75x75 - 200x200
	Diagonal	19-43"
	Maximum weight load (kg)	25
	The distance from the wall (mm)	29



FOR MOUNTING TO THE TV: FOR MOUNTING TO THE WALL:

- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased - 4 pcs.
- Plastic adapter - 8 pcs.
- Dowel 10x50 - 4 pcs.
- Screw 6x60 - 4 pcs.
- Washer M8 - 4 pcs.



FIXED TV WALL MOUNTS

48EP




Vesa (min - max) 200x200 - 400x400

Diagonal 32-65"

Maximum weight load (kg) 25

The distance from the wall (mm) 29



FOR MOUNTING TO THE TV:

- Screw M6x30 - 4 pcs.
- Screw M8x20 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Plastic adapter - 8 pcs.

FOR MOUNTING TO THE WALL:

- Dowel 10x50 - 8 pcs.
- Screw 6x60 - 8 pcs.
- Washer M8 - 8 pcs.



68EP




Vesa (min - max) 200x200 - 600x400

Diagonal 40-82"

Maximum weight load (kg) 45

The distance from the wall (mm) 29




FOR MOUNTING TO THE TV:

- Screw M6x30 - 4 pcs.
- Screw M8x20 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Plastic adapter - 8 pcs.

FOR MOUNTING TO THE WALL:






- Dowel 10x50 - 8 pcs.
- Screw 6x60 - 8 pcs.
- Washer M8 - 8 pcs.




TILT TV WALL MOUNTS

11EN



	Vesa (min - max)	75x75 - 100x100
	Diagonal	13-28"
	Maximum weight load (kg)	15
	The distance from the wall (mm)	52
	Tilt angle	-5°/+15°



FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x12 - 4 pcs.






FOR MOUNTING TO THE WALL:


- Dowel 10x50 - 3 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.



27EN



	Vesa (min - max)	100x100 - 200x200
	Diagonal	19-43"
	Maximum weight load (kg)	25
	The distance from the wall (mm)	52
	Tilt angle	-5°/+15°



FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased - 4 pcs.
- Plastic adapter - 8 pcs.

FOR MOUNTING TO THE WALL:






- Dowel 10x50 - 3 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.




TILT TV WALL MOUNTS






28EN



-  Vesa (min - max) 75x75 - 200x200
-  Diagonal 19-43"
-  Maximum weight load (kg) 25
-  The distance from the wall (mm) 62
-  Tilt angle -5°/+15°



FOR MOUNTING TO THE TV:

-  Screw M4x12 - 4 pcs.
-  Screw M6x30 - 4 pcs.
-  Screw M8x45 - 4 pcs.
-  Washer M4 increased - 4 pcs.
-  Plastic adapter - 8 pcs.






FOR MOUNTING TO THE WALL:


-  Dowel 10x50 - 4 pcs.
-  Screw 6x60 - 4 pcs.
-  Washer M8 - 4 pcs.







48EN






-  Vesa (min - max) 200x200 - 400x400
-  Diagonal 32-65"
-  Maximum weight load (kg) 25
-  The distance from the wall (mm) 62
-  Tilt angle -5°/+15°



FOR MOUNTING TO THE TV:

-  Screw M6x30 - 4 pcs.
-  Screw M8x20 - 4 pcs.
-  Screw M8x45 - 4 pcs.
-  Plastic adapter - 8 pcs.


FOR MOUNTING TO THE WALL:

-  Dowel 10x50 - 8 pcs.
-  Screw 6x60 - 8 pcs.
-  Washer M8 - 8 pcs.




КРОНШТЕЙНИ З КУТОМ НАХИЛУ ДЛЯ ТВ

68EN



	Vesa (min - max)	200x200 - 600x400
	Diagonal	40-82"
	Maximum weight load (kg)	45
	The distance from the wall (mm)	62
	Tilt angle	-5°/+15°



FOR MOUNTING TO THE TV:

- Screw M6x30 - 4 pcs.
- Screw M8x20 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Plastic adapter - 8 pcs.

FOR MOUNTING TO THE WALL:

- Dowel 10x50 - 8 pcs.
- Screw 6x60 - 8 pcs.
- Washer M8 - 8 pcs.




ARTICULATING TV WALL MOUNTS

11ET



	Vesa (min - max)	75x75 - 100x100
	Diagonal	13-28"
	Maximum weight load (kg)	15
	The distance from the wall (mm)	65
	Tilt angle	-5°/+15°
	Turn	60°



FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x12 - 4 pcs.
- Allen key - 1 pcs.


FOR MOUNTING TO THE WALL:







- Dowel 10x50 - 3 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.
- Plastic stub M6 - 3 pcs.




ARTICULATING TV WALL MOUNTS





12ET







-  Vesa (min - max) 75x75 - 100x100
-  Diagonal 13-28"
-  Maximum weight load (kg) 15
-  The distance from the wall (mm) 65 - 255
-  Tilt angle $-5^{\circ}/+15^{\circ}$
-  Turn $180^{\circ}/180^{\circ}$



FOR MOUNTING TO THE TV:

-  Screw M4x12 - 4 pcs.
-  Screw M6x12 - 4 pcs.
-  Allen key - 1 pcs.
-  Plastic clam - 2 pcs.







FOR MOUNTING TO THE WALL:


-  Dowel 10x50 - 3 pcs.
-  Screw 6x60 - 3 pcs.
-  Washer M8 - 3 pcs.
-  Plastic stub M6 - 3 pcs.







13ET







-  Vesa (min - max) 75x75 - 100x100
-  Diagonal 13-28"
-  Maximum weight load (kg) 15
-  The distance from the wall (mm) 65 - 405
-  Tilt angle $-5^{\circ}/+15^{\circ}$
-  Turn $180^{\circ}/360^{\circ}/180^{\circ}$



FOR MOUNTING TO THE TV:

-  Screw M4x12 - 4 pcs.
-  Screw M6x12 - 4 pcs.
-  Allen key - 1 pcs.
-  Plastic clamp - 4 pcs.

FOR MOUNTING TO THE WALL:







-  Dowel 10x50 - 3 pcs.
-  Screw 6x60 - 3 pcs.
-  Washer M8 - 3 pcs.
-  Plastic stub M6 - 3 pcs.




ARTICULATING TV WALL MOUNTS

25ET



 Vesa (min - max)	100x100 - 200x200
 Diagonal	19-43"
 Maximum weight load (kg)	25
 The distance from the wall (mm)	67
 Tilt angle	-5°/+15°
 Turn	40°



FOR MOUNTING TO THE TV:


- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased - 4 pcs.
- Plastic adapter - 8 pcs.
- Allen key - 1 pcs.







FOR MOUNTING TO THE WALL:


- Dowel 10x50 - 3 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.
- Plastic stub M6 - 3 pcs.



26ET



 Vesa (min - max)	100x100 - 200x200
 Diagonal	19-43"
 Maximum weight load (kg)	25
 The distance from the wall (mm)	67-256
 Tilt angle	-5°/+15°
 Turn	180°/180°



FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased - 4 pcs.
- Plastic adapter - 8 pcs.
- Allen key - 1 pcs.
- Plastic clamp - 2 pcs.


FOR MOUNTING TO THE WALL:

- Dowel 10x50 - 3 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.
- Plastic stub M6 - 3 pcs.




ARTICULATING TV WALL MOUNTS

27ET



	Vesa (min - max)	100x100 - 200x200
	Diagonal	19-43"
	Maximum weight load (kg)	15
	The distance from the wall (mm)	65-405
	Tilt angle	-5°/+15°
	Turn	180°/360°/180°



FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased - 4 pcs.
- Plastic adapter - 8 pcs.
- Allen key - 1 pcs.
- Plastic clamp - 4 pcs.

FOR MOUNTING TO THE WALL:


- Dowel 10x50 - 3 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.
- Plastic stub M6 - 3 pcs.



28ET



	Vesa (min - max)	75x75 - 200x200
	Diagonal	19-43"
	Maximum weight load (kg)	25
	The distance from the wall (mm)	93-558
	Tilt angle	-5°/+15°
	Turn	180°/360°/180°



FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased - 4 pcs.
- Plastic adapter - 8 pcs.
- Allen key - 1 pcs.
- Plastic clamp - 4 pcs.


FOR MOUNTING TO THE WALL:


- Dowel 10x50 - 4 pcs.
- Screw 6x60 - 4 pcs.
- Washer M8 - 4 pcs.
- Plastic stub M6 - 4 pcs.




ARTICULATING TV WALL MOUNTS


48ET



 Vesa (min - max) 200x200 - 400x400


 Diagonal 32-65"

 Maximum weight load (kg) 40







 The distance from the wall (mm) 110-565

 Tilt angle -5°/+15°





 Turn 180°/360°/180°



FOR MOUNTING TO THE TV:

-  Screw M6x30 - 4 pcs.
-  Screw M8x20 - 4 pcs.
-  Screw M8x45 - 4 pcs.
-  Plastic adapte - 8 pcs.
-  Allen key - 1 pcs.
-  Plastic clamp - 4 pcs.


FOR MOUNTING TO THE WALL:

-  Dowel 12x80 - 6 pcs.
-  Screw 8x80 - 6 pcs.
-  Washer M8 - 6 pcs.
-  Plastic stub M8 - 6 pcs.





49ET



 Vesa (min - max) 200x200 - 400x400


 Diagonal 32-65"

 Maximum weight load (kg) 50







 The distance from the wall (mm) 120-475

 Tilt angle -5°/+15°





 Turn 180°/360°/180°



FOR MOUNTING TO THE TV:

-  Screw M6x30 - 4 pcs.
-  Screw M8x20 - 4 pcs.
-  Screw M8x45 - 4 pcs.
-  Plastic adapte - 8 pcs.
-  Allen key - 1 pcs.
-  Plastic clamp - 4 pcs.

FOR MOUNTING TO THE WALL:

-  Dowel 12x80 - 6 pcs.
-  Screw 8x80 - 6 pcs.
-  Washer M8 - 6 pcs.
-  Plastic stub M8 - 6 pcs.

