



## A V M O U N T S






**KSL** is a modern Ukrainian factory. Our specialty - mounting solutions for Digital Signage industry.

The history of KSL began in 2009. Since then we have designed and manufactured numerous professional solutions for different Digital Signage projects. Our partners know that we solve the hardest tasks.

In-house manufacturing facilities allow us to control 100% of operations. Our R&D department regularly rolls out new models as well as improves the existing model line.

Our Quality Control lab extensively tests each new product before it enters mass production. Each batch of finished products undergoes quality testing before it leaves the factory. We only use materials that meet international standards. This is the way we guarantee consistent high quality of our products.











## TABLE OF CONTENTS

|                                    |              |
|------------------------------------|--------------|
| <b>FIXED TV WALL MOUNTS</b>        | <b>5-7</b>   |
| <b>TILT TV WALL MOUNTS</b>         | <b>7-11</b>  |
| <b>ARTICULATING TV WALL MOUNTS</b> | <b>12-15</b> |
| <b>DESK MOUNTS</b>                 | <b>16-18</b> |
| <b>FLOOR STANDS</b>                | <b>19</b>    |
| <b>PROJECTOR MOUNTS</b>            | <b>20-21</b> |
| <b>CEILING MOUNTS</b>              | <b>22</b>    |
| <b>ACCESSORIES</b>                 | <b>23</b>    |

## EASY INSTALLATION



## SYMBOLS

|   |                            |   |            |
|---|----------------------------|---|------------|
|  | VESA (MIN - MAX)           |  | TILT ANGLE |
|  | DIAGONAL                   |  | TURN       |
|  | MAXIMUM WEIGHT LOAD        |  |            |
|  | THE DISTANCE FROM THE WALL |  |            |

## RETAIL BOX



**25 YEARS  
MANUFACTURER'S  
WARRANTY!**




## WHAT YOU NEED TO KNOW TO CHOOSE THE RIGHT TV MOUNT



Your TV's diagonal








Your TV's weight




The distance between the mounting holes on the your TV

### WMO-5120P




|   |                                 |                 |
|---|---------------------------------|-----------------|
|  | VESA (min - max)                | 75x75 - 200x200 |
|  | Diagonal                        | 19-43"          |
|  | Maximum weight load (kg)        | 25              |
|  | The distance from the wall (mm) | 29              |



### MOUNTING KIT


#### FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased- 4 pcs.
- Plastic adapter - 8 pcs.




#### FOR MOUNTING TO THE WALL:


- Dowel 10x50 - 4 pcs.
- Screw 6x60 - 4 pcs.
- Washer M8 - 4 pcs.



## WMO-6240P




|  |                                 |                   |
|--|---------------------------------|-------------------|
|  | VESA (min - max)                | 200x200 - 400x400 |
|  | Diagonal                        | 32-65"            |
|  | Maximum weight load (kg)        | 30                |
|  | The distance from the wall (mm) | 29                |



### MOUNTING KIT


#### FOR MOUNTING TO THE TV:

Screw M6x30 - 4 pcs.  
Screw M8x20 - 4 pcs.  
Screw M8x45 - 4 pcs.  
Plastic adapter - 8 pcs.




#### FOR MOUNTING TO THE WALL:


Dowel 10x50 - 8 pcs.  
Screw 6x60 - 8 pcs.  
Washer M8 - 8 pcs.



## WMO-8260P



|  |                                 |                   |
|--|---------------------------------|-------------------|
|  | VESA (min - max)                | 200x200 - 600x400 |
|  | Diagonal                        | 40-82"            |
|  | Maximum weight load (kg)        | 50                |
|  | The distance from the wall (mm) | 29                |



### MOUNTING KIT


#### FOR MOUNTING TO THE TV:

Screw M6x30 - 4 pcs.  
Screw M8x20 - 4 pcs.  
Screw M8x45 - 4 pcs.  
Plastic adapter - 8 pcs.



#### FOR MOUNTING TO THE WALL:

Dowel 10x50 - 8 pcs.  
Screw 6x60 - 8 pcs.  
Washer M8 - 8 pcs.





## WM4P




VESA (min - max) 200x200 - 1000x400

Diagonal >50"

Maximum weight load (kg) 100

The distance from the wall (mm) 40



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

- Screw M6x30 - 4 pcs.
- Screw M8x20 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Plastic adapter - 8 pcs.

#### FOR MOUNTING TO THE WALL:

- Dowel 12x80 - 8 pcs.
- Screw 8x80 - 8 pcs.
- Washer M8 - 8 pcs.



## WM11N




VESA (min - max) 75x75 - 100x100

Diagonal 13-28"

Maximum weight load (kg) 15

The distance from the wall (mm) 50

Tilt angle 0°-15°




### MOUNTING KIT

#### FOR MOUNTING TO THE TV: FOR MOUNTING TO THE WALL:


- Screw M4x12 - 4 pcs.
- Dowel 10x50 - 3 pcs.
- Screw M6x12 - 4 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.



## WMB-4021N



- VESA (min - max) 100x100 - 200x200
- Diagonal 19-43"
- Maximum weight load (kg) 25
- The distance from the wall (mm) 52
- Tilt angle  $-5^{\circ}/+15^{\circ}$



### MOUNTING KIT

#### FOR MOUNTING TO THE TV: FOR MOUNTING TO THE WALL:


- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased - 4 pcs.
- Plastic adapter - 8 pcs.
- Dowel 10x50 - 3 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.



## WMO-5121N



- VESA (min - max) 75x75 - 200x200
- Diagonal 19-43"
- Maximum weight load (kg) 25
- The distance from the wall (mm) 60
- Tilt angle  $-5^{\circ}/+15^{\circ}$



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased - 4 pcs.
- Plastic adapter - 8 pcs.

#### FOR MOUNTING TO THE WALL:

- Dowel 10x50 - 4 pcs.
- Screw 6x60 - 4 pcs.
- Washer M8 - 4 pcs.






## WMO-6241N



- VESA (min - max) 200x200 - 400x400
- Diagonal 32-65"
- Maximum weight load (kg) 30
- The distance from the wall (mm) 60
- Tilt angle -5°/+15°




### MOUNTING KIT

**FOR MOUNTING TO THE TV:**  
 Screw M6x30 - 4 pcs.  
 Screw M8x20 - 4 pcs.  
 Screw M8x45 - 4 pcs.  
 Plastic adapter - 8 pcs.




**FOR MOUNTING TO THE WALL:**  
 Dowel 10x50 - 8 pcs.  
 Screw 6x60 - 8 pcs.  
 Washer M8 - 8 pcs.



## WMO-6341N



- VESA (min - max) 100x100 - 400x400
- Diagonal 32-65"
- Maximum weight load (kg) 40
- The distance from the wall (mm) 28
- Tilt angle 0°-15°



### MOUNTING KIT

**FOR MOUNTING TO THE TV:** Screw M6x16 - 4 pcs.  
**FOR MOUNTING TO THE WALL:** Dowel 10x50 - 3 pcs.  
 Screw M8x16 - 4 pcs. Screw 6x50 - 3 pcs.  
 Screw M8x25 - 4 pcs. Washer M8 - 3 pcs.



## WM2N




VESA (min - max) 200x200 - 400x400

Diagonal 32-65"

Maximum weight load (kg) 50

The distance from the wall (mm) 76

Tilt angle 0°-15°



### MOUNTING KIT

FOR MOUNTING TO THE TV:

Screw M6x16 - 4 pcs.  
 Screw M8x16 - 4 pcs.  
 Screw M8x25 - 4 pcs.

FOR MOUNTING TO THE WALL:

Dowel 10x50 - 6 pcs.  
 Screw 6x60 - 6 pcs.  
 Washer M8 - 6 pcs.



## WMO-8261N




VESA (min - max) 200x200 - 600x400

Diagonal 40-82"

Maximum weight load (kg) 50

The distance from the wall (mm) 60

Tilt angle -5°/+15°



### MOUNTING KIT

FOR MOUNTING TO THE TV:

Screw M6x30 - 4 pcs.  
 Screw M8x20 - 4 pcs.  
 Screw M8x45 - 4 pcs.  
 Plastic adapter - 8 pcs.

FOR MOUNTING TO THE WALL:


Dowel 10x50 - 8 pcs.  
 Screw 6x60 - 8 pcs.  
 Washer M8 - 8 pcs.



## WM3N



- VESA (min - max) 200x200 - 600x400
- Diagonal 40-86"
- Maximum weight load (kg) 60
- The distance from the wall (mm) 76
- Tilt angle 0°-15°



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

- Screw M6x30 - 4 pcs.
- Screw M8x20 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Plastic adapter - 8 pcs.

#### FOR MOUNTING TO THE WALL:


- Dowel 10x50 - 8 pcs.
- Screw 6x60 - 8 pcs.
- Washer M8 - 8 pcs.



## WM4N



- VESA (min - max) 200x200 - 1000x400
- Diagonal >50"
- Maximum weight load (kg) 100
- The distance from the wall (mm) 85
- Tilt angle 0°-15°



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

- Screw M6x30 - 4 pcs.
- Screw M8x20 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Plastic adapter - 8 pcs.

#### FOR MOUNTING TO THE WALL:


- Dowel 12x80 - 8 pcs.
- Screw 8x80 - 8 pcs.
- Washer M8 - 8 pcs.



## WMB-3012T



|  |                                 |                 |
|--|---------------------------------|-----------------|
|  | VESA (min - max)                | 75x75 - 100x100 |
|  | Diagonal                        | 13-28"          |
|  | Maximum weight load (kg)        | 15              |
|  | The distance from the wall (mm) | 65              |
|  | Tilt angle                      | -5°/+15°        |
|  | Turn                            | 60°             |



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

Screw M4x12 - 4 pcs.  
Screw M6x12 - 4 pcs.  
Allen key - 1 pcs.

#### FOR MOUNTING TO THE WALL:

Dowel 10x50 - 3 pcs.  
Screw 6x60 - 3 pcs.  
Washer M8 - 3 pcs.  
Plastic stub M6 - 3 pcs.



## WMO-3013T




decorated with plastic



cable management

|  |                                 |                 |
|--|---------------------------------|-----------------|
|  | VESA (min - max)                | 75x75 - 100x100 |
|  | Diagonal                        | 13-28"          |
|  | Maximum weight load (kg)        | 15              |
|  | The distance from the wall (mm) | 65-255          |
|  | Tilt angle                      | -5°/+15°        |
|  | Turn                            | 180°/180°       |



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

Screw M4x12 - 4 pcs.  
Screw M6x12 - 4 pcs.  
Allen key - 1 pcs.

#### FOR MOUNTING TO THE WALL:


Dowel 10x50 - 3 pcs.  
Screw 6x60 - 3 pcs.  
Washer M8 - 3 pcs.



## WMO-3014T



|  |                                 |                 |
|--|---------------------------------|-----------------|
|  | VESA (min - max)                | 75x75 - 100x100 |
|  | Diagonal                        | 13-28"          |
|  | Maximum weight load (kg)        | 15              |
|  | The distance from the wall (mm) | 65-405          |
|  | Tilt angle                      | -5°/+15°        |
|  | Turn                            | 180°/360°/180°  |



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x12 - 4 pcs.
- Allen key - 1 pcs.

#### FOR MOUNTING TO THE WALL:


- Dowel 10x50 - 3 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.



## WMB-4022T



|  |                                 |                   |
|--|---------------------------------|-------------------|
|  | VESA (min - max)                | 100x100 - 200x200 |
|  | Diagonal                        | 19-43"            |
|  | Maximum weight load (kg)        | 25                |
|  | The distance from the wall (mm) | 67                |
|  | Tilt angle                      | -5°/+15°          |
|  | Turn                            | 40°               |



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased - 4 pcs.
- Plastic adapter - 8 pcs.
- Allen key - 1 pcs.

#### FOR MOUNTING TO THE WALL:

- Dowel 10x50 - 3 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.
- Plastic stub M6 - 3 pcs.





## WMO-4023T



VESA (min - max) 100x100 - 200x200


Diagonal 19-43"

Maximum weight load (kg) 25

The distance from the wall (mm) 67-256

Tilt angle -5°/+15°

Turn 180°/180°



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs.
- Screw M6x30 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Washer M4 increased - 4 pcs.
- Plastic adapter - 8 pcs.
- Allen key - 1 pcs.

#### FOR MOUNTING TO THE WALL:

- Dowel 10x50 - 3 pcs.
- Screw 6x60 - 3 pcs.
- Washer M8 - 3 pcs.



## WMO-4025T



VESA (min - max) 100x100 - 200x200


Diagonal 19-43"

Maximum weight load (kg) 25

The distance from the wall (mm) 67-528

Tilt angle -5°/+15°

Turn 180°/360°/180°



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

- Screw M4x12 - 4 pcs
- Screw M6x30 - 4 pcs
- Screw M8x45 - 4 pcs
- Washer M4 increased - 4 pcs
- Plastic adapter - 8 pcs
- Allen key - 1 pcs

#### FOR MOUNTING TO THE WALL:

- Dowel 10x50 - 4 pcs
- Screw 6x60 - 4 pcs
- Washer M8 - 4 pcs






## WMO-6245T



cable management

|  |                                 |                 |
|--|---------------------------------|-----------------|
|  | VESA (min - max)                | 200x200-400x400 |
|  | Diagonal                        | 32"-65"         |
|  | Maximum weight load (kg)        | 40              |
|  | The distance from the wall (mm) | 110-565         |
|  | Tilt angle                      | -5°/+15°        |
|  | Turn                            | 180°/360°/180°  |



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

- Screw M6x30 - 4 pcs.
- Screw M8x20 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Plastic adapter - 8 pcs.
- Allen key - 1 pcs.

#### FOR MOUNTING TO THE WALL:

- Dowel 12x80 - 6 pcs.
- Screw 8x80 - 6 pcs.
- Washer M8 - 6 pcs.




## WMO-6245T



cable management

|  |                                 |                 |
|--|---------------------------------|-----------------|
|  | VESA (min - max)                | 200x200-400x400 |
|  | Diagonal                        | 32"-65"         |
|  | Maximum weight load (kg)        | 50              |
|  | The distance from the wall (mm) | 120-475         |
|  | Tilt angle                      | -5°/+15°        |
|  | Turn                            | 180°/360°/180°  |



### MOUNTING KIT

#### FOR MOUNTING TO THE TV:

- Screw M6x30 - 4 pcs.
- Screw M8x20 - 4 pcs.
- Screw M8x45 - 4 pcs.
- Plastic adapter - 8 pcs.
- Allen key - 1 pcs.





#### FOR MOUNTING TO THE WALL:

- Dowel 12x80 - 6 pcs.
- Screw 8x80 - 6 pcs.
- Washer M8 - 6 pcs.



## DM11T

|  |                          |               |
|--|--------------------------|---------------|
|  | VESA (min - max)         | 75x75-100x100 |
|  | Diagonal                 | 13-32"        |
|  | Maximum weight load (kg) | 10            |
|  | Tilt angle               | ±35°          |
|  | Turn                     | 90°           |
|  | Screen rotation          | 90°           |




### MOUNTING KIT




Screw M4x10 - 4 pcs.  
Allen key - 2 pcs.  
Plastic clamp - 2 pcs.



## DM31T



|  |                          |                |
|--|--------------------------|----------------|
|  | VESA (min - max)         | 75x75-100x100  |
|  | Diagonal                 | 13-32"         |
|  | Maximum weight load (kg) | 10             |
|  | Tilt angle               | ±35°           |
|  | Turn                     | 180°/360°/180° |
|  | Screen rotation          | 90°            |




### MOUNTING KIT



- Screw M4x10 - 4 pcs.
- Allen key - 2 pcs.
- Plastic clamp - 4 pcs.



## DM32T




|  |                          |                |
|--|--------------------------|----------------|
|  | VESA (min - max)         | 75x75-100x100  |
|  | Diagonal                 | 13-28"         |
|  | Maximum weight load (kg) | 2x6            |
|  | Tilt angle               | ±35°           |
|  | Turn                     | 180°/360°/180° |
|  | Screen rotation          | 90°            |



### MOUNTING KIT



Screw M4x10 - 8 pcs.  
Allen key - 2 pcs.  
Plastic clamp - 6 pcs.



## PS1




VESA (min - max) 200x200 - 600x400

Diagonal 32-65"

Maximum weight load (kg) 80

Display position (mm) Throughout the legs, up to 1800

Cable Management No



## PS2




VESA (min - max) 100x100 - 400x400

Diagonal 23-50"


Maximum weight load (kg) 35

Display position (mm) 1150, 1270, 1390, 1479, 1630

Cable Management No



## PS3




VESA (min - max) 200x200 - 600x400

Diagonal 32-65"

Maximum weight load (kg) 45

Display position (mm) Throughout the legs, up to 1454

Cable Management No



## CMPR-2

### Ceiling Mount




|  |                          |        |
|--|--------------------------|--------|
|  | Maximum weight load (kg) | 20     |
|  | Cable Management         | Yes    |
|  | Tilt angle               | 0°-45° |
|  | Turn                     | 20°    |

### Extension poles



|             |         |
|-------------|---------|
| CMPR-EX40   | 400 MM  |
| CMPR-EX60   | 600 MM  |
| CMPR-EX80   | 800 MM  |
| CMPR-EX100  | 1000 MM |
| CMPR-EX120  | 1200 MM |
| CMPR-EX140  | 1400 MM |
| CMPR-EX160  | 1600 MM |
| CMPR-EX1180 | 1800 MM |
| CMPR-EX200  | 2000 MM |
| CMPR-EX220  | 2200 MM |




## CMPR-3

### Wall Mount



|  |                          |        |
|--|--------------------------|--------|
|  | Maximum weight load (kg) | 10     |
|  | Cable Management         | Yes    |
|  | Tilt angle               | 0°-45° |
|  | Turn                     | 20°    |



### Adjustable length










## CMPR-4

### Wall/Ceiling Mount




|   |                          |        |
|---|--------------------------|--------|
|    | Maximum weight load (kg) | 10/20  |
|    | Cable Management         | Yes    |
|   | Tilt angle               | 0°-45° |
|  | Turn                     | 20°    |




### Adjustable length


#### CMPR-4-60



#### CMPR-4-100




## CM-02




|  |                          |                              |
|--|--------------------------|------------------------------|
|  | VESA (min - max)         | 200x200 - 400x400            |
|  | Diagonal                 | 32-55"                       |
|  | Maximum weight load (kg) | 60                           |
|  | Display position (mm)    | 1308, 1428, 1548, 1668, 1788 |
|  | Cable Management         | Yes                          |
|  | Tilt angle               | 0°-15°                       |
|  | Turn                     | 360°                         |

## AV component Shelf RS100




## Mini PC mount PK100

You can use it with any monitor or the DM series table mount




## Shelves for floor stands

### SF-Avm



Use for:  
Stands PS1, PS3

### SF-VC



Use for:  
Stands PS1, PS3



+38 044 225 29 07  
+38 050 411 68 82

+38 093 510 69 99  
+38 066 354 59 73



info@ksl.ua  
www.ksl.ua

---